

Work Order ID 161828

Tuesday, May 23, 2017 10:56:08 AM

161828

Page 1

Item ID: D350-591-214

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Heli-Access-Step™ RH - High Gear, Short Step, Aerazur Float Compatible


Start Date: 6/26/2017 Start Qty: 4.00 ***4***

Cust Item ID:

Required Date: 7/7/2017 Req'd Qty: 4.00 ***4***

Customer:

Reference:

Approvals: Process Plan:  Date: MAY 23 2017 Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start ***NR1***
Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr		
IIN-D350-591	H	JUN 14 2017	DAS 6

100	Document Control	0.00							
100	DOCUMENT CONTROL								
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile and type labels as per PPP D350-591-214 CHG005								

4 **DAS 28** JUN 16 2017
9-89

270	Pick Kit	0.00							
270									
Packaging	Memo	0.04							
Packaging									

DAS 6
9-89
JUN 15 2017
DAS 27
9-89

280	QC4- 100% Inspect kits for completeness	0.00							
280									
QC	Memo	0.12							
Quality Control									

4 **DAS 28** JUN 16 2017
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation			Disposition		
			Completed By :		
			Lead hand / Supervisor Approval Verification		
			QC / QA Coordinator Approval		
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
☐ OTHER : _____					

Work Order ID 161828

Tuesday, May 23, 2017 10:56:08 AM

161828

Page 2

Item ID: D350-591-214 Accept
Revision ID:
Item Name: Heli-Access-Step™ RH - High Gear, Short Step, Aerazur Float Compatible
Start Date: 6/26/2017 Start Qty: 4.00 *4*
Required Date: 7/7/2017 Req'd Qty: 4.00 *4*
Reference:

N900040100

Setup Start *NS1*
Stop *NS2*

Cust Item ID:
Customer:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start *NR1*
Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
290 *290* Packaging Packaging	Identify as per dwg & Stock Location: _____ Packaging Memo Identify and pack for shipping as per PPP D350-591-214 Location: FG039	0.00 0.00				4		DAS 27 9-89 JUN 2 6 2017	
300 *300* QC Quality Control	QC21- Final Inspection - Work Order Release Memo	0.00 0.40						DAS 21 9-89 JUN 2 6 2017	

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
Root Cause		FAULT CATEGORY							
Environment ☐	☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐			
Design ☐	☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐			
Doc/Data ☐	☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐			
Equip/Tooling ☐	☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐			
Handling/Pre ☐	☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐			
Material ☐	☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐			
Internal Transport ☐	☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐			
Tribal Knowledge ☐	☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐			
LOA ☐	☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐			
Substation ☐	☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐			
Past Expiry Date ☐	☐	Manufacturing Process ☐	OTHER :						
Misidentified ☐	☐	Past Due ☐							

Picklist Print

Tuesday, May 23, 2017 10:56:05 AM

Page 1

Work Order ID: 161828

161828

Parent Item: D350-591-214

D350-591-214

Parent Item Name: Heli-Access-Step™ RH - High Gear, Short Step, Aerazur Float Compatible

Start Date: 6/26/2017

Required Date: 7/7/2017

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP Rev:B05.10.14Modified step 10KJ/EC
 IPP Rev:C 06-06-19 Added D2732-030 AS PER DSI9294 JLM
 IPP Rev:C 06-06-27 Revised as per DSI9340 JLM IPP Rev:D
 10.11.15 update qty on AN4-11A DD verf:EC IPP REV:E 14.12.17
 ADD DSI9712-011 DD VERF:JLM IPP REV:F 16.03.16 IIN
 REV.H DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3338-1 *D3338-1* Mounting Lug		Manufactured	No			270	Each	46.0000	1 **	4			DAS 6 9-89
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				ST527				46					
				157149				16					
				160521				30					
D3078-042 *D3078-042* Step Assembly, Heli Short RH		Manufactured	No			270	Each	0.0000	1 **	4			DAS 27 9-89
D2230-3 *D2230-3* Mounting Lug		Manufactured	No			270	Each	161.0000	2 **	8			DAS 27 9-89
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				FG				6					
				109344				4					
				89045				2					
				ST				7					
				158454				7					
				ST521				148					
				158093				148					

JUN 15 2017

B162441

JUN 15 2017

58455

158455

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Tuesday, May 23, 2017 10:56:06 AM

Page 2

Work Order ID: 161828

161828

Parent Item: D350-591-214

D350-591-214

Parent Item Name: Heli-Access-Step™ RH - High Gear, Short Step, Aerazur Float Compatible

Start Date: 6/26/2017

Required Date: 7/7/2017

Start Qty: 4.00

Required Qty: 4.00

D2618 Manufactured No

270 Each

149.0000

2 8

D2618

Bushing

DAS
28
9-89

Location

Loc Qty

Loc Code

ST008A

149

160408

149

D2732 Manufactured No

270 f

612.8615

1 4

D2732

Rubber Cushion (\$per foot)

DAS
28
9-89

Location

Loc Qty

Loc Code

ST412

612.8614694

150042

112.861469

158449

500

D3235-1 Manufactured No

270 Each

59.0000

2 8

D3235-1

Mounting Lug

DAS
28
9-89

Location

Loc Qty

Loc Code

ST522

59

158097

50

158457

9

AN3-35A Purchased No

270 Each

182.0000

2 8

AN3-35A

Bolt

DAS
28
9-89

Location

Loc Qty

Loc Code

FG

10

122800

10

over003

150

M137495

150

ST348

22

M137166

22

**

JUN 15 2017

DAS
6
9-89

DAS
27
9-89

**

JUN 15 2017

DAS
6
9-89

DAS
27
9-89

**

JUN 15 2017

DAS
6
9-89

DAS
27
9-89

**

JUN 15 2017

DAS
6
9-89

DAS
27
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																											
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																								
Description Work Order Deviation				Disposition				Completed By																																																							
								Lead hand / Supervisor Approval Verification																																																							
								QC / QA Coordinator Approval																																																							
Root Cause		FAULT CATEGORY																																																													
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : ☐	
Misidentified ☐	Past Due ☐																																																														

Picklist Print

Page 3

Tuesday, May 23, 2017 10:56:06 AM

Work Order ID: 161828

161828

Parent Item: D350-591-214

D350-591-214

Parent Item Name: Heli-Access-Step™ RH - High Gear, Short Step, Aerazur Float Compatible

Start Date: 6/26/2017

Required Date: 7/7/2017

Start Qty: 4.00

Required Qty: 4.00

AN4-15A

Purchased

No

270

Each

298.0000

4

16

AN4-15A

Bolt

**

DAS
6
JUN 15 2017

DAS
27
9-89

DAS
28
9-89

Location

Loc Qty

Loc Code

GA

10

120449

10

over003

100

m137587

100

ST343

188

m108868

24

m132317

8

m134606

8

m137280

148

AN5-36A

Purchased

No

270

Each

160.0000

2

8

AN5-36A

Bolt

**

DAS
6
9-89

DAS
27
9-89

DAS
28
9-89

Location

Loc Qty

Loc Code

over004

50

m137587

50

ST336

110

m137164

10

m137412

100

NAS1149D0363J

Purchased

No

270

Each

1,770.000

4

16

NAS1149D0363.J

Washer

**

DAS
6
9-89

JUN 15 2017

DAS
27
9-89

DAS
28
9-89

Location

Loc Qty

Loc Code

GA

13

m134055

13

ST260a

1400

m137587

1400

ST263

357

m137164

357

Tuesday, May 23, 2017 10:56:06 AM

Shop Packet Print

Page 3

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong				
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions				
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance				
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect				
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing				
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved				
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing				
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Misabeled	☐ Finish				
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread				
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence				
Past Expiry Date ☐	☐ Manufacturing Process	OTHER :							
Misidentified ☐	☐ Past Due								

Picklist Print

Tuesday, May 23, 2017 10:56:06 AM

Page 4

Work Order ID: 161828

161828

Parent Item: D350-591-214

D350-591-214

Parent Item Name: Heli-Access-Step™ RH - High Gear, Short Step, Aerazur Float Compatible

Start Date: 6/26/2017

Required Date: 7/7/2017

Start Qty: 4.00

Required Qty: 4.00

NAS1149D0463J

Purchased

No

270

Each

4,714.000

12

48

NAS1149D0463.J

Washer

DAS
28
9-89

Location

Loc Qty

Loc Code

GA

48

M135056

48

ST260a

3000

M137371

2000

M137544

1000

ST263

1666

M137381

1666

DAS
6
9-89

JUN 15 2017

DAS
27
9-89

NAS1149D0563J

Purchased

No

270

Each

1,721.000

4

16

NAS1149D0563.J

Washer

DAS
28
9-89

Location

Loc Qty

Loc Code

GA

110

m135774

110

ST260a

1000

m137587

1000

ST263

611

m137361

611

DAS
6
9-89

JUN 15 2017

DAS
27
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
Root Cause		FAULT CATEGORY							
Environment ☐	☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐			
Design ☐	☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐			
Doc/Data ☐	☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐			
Equip/Tooling ☐	☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐			
Handling/Pre ☐	☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐			
Material ☐	☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐			
Internal Transport ☐	☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐			
Tribal Knowledge ☐	☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐			
LOA ☐	☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐			
Substation ☐	☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐			
Past Expiry Date ☐	☐	Manufacturing Process ☐	OTHER :						
Misidentified ☐	☐	Past Due ☐							

Picklist Print

Tuesday, May 23, 2017 10:56:06 AM

Page 5

Work Order ID: 161828

161828

Parent Item: D350-591-214

D350-591-214

Parent Item Name: Heli-Access-Step™ RH - High Gear, Short Step, Aerazur Float Compatible

Start Date: 6/26/2017

Required Date: 7/7/2017

Start Qty: 4.00

Required Qty: 4.00

MS21042L3

Purchased

No

270

Each

1,931.000

2

8

MS21042I 3

Nut

**

Location

Loc Qty

Loc Code

CCK007

1000

m137495

1000

FP001

91

m135945

91

GA

460

m134360

102

M136665

358

ST303

380

m137321

380

JUN 15 2017

DAS 27
9-89

DAS
28
9-89

MS21042L4

Purchased

No

270

Each

3,454.000

6

24

MS21042I 4

Nut

**

Location

Loc Qty

Loc Code

FP001

10

m133363

10

GA

68

m135058

68

OVER007

2400

m137371

1000

m137402

400

m137544

1000

ST303

976

m137321

976

JUN 15 2017

DAS 27
9-89

DAS
28
39

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		☐ OTHER : _____							

Picklist Print

Tuesday, May 23, 2017 10:56:06 AM

Page 6

Work Order ID: 161828

161828

Parent Item: D350-591-214

D350-591-214

Parent Item Name: Heli-Access-Step™ RH - High Gear, Short Step, Aerazur Float Compatible

Start Date: 6/26/2017

Required Date: 7/7/2017

Start Qty: 4.00

Required Qty: 4.00

MS21042L5

Purchased

No

270

Each

865.0000

2

8

MS21042L5

Nut

**

S

DAS

JUN 15 2017

DAS
27
9-89

6

9-89

DAS
28
9-89LocationLoc QtyLoc Code

GA

16

m127813

16

OVER007

700

m136866

0

m137478

200

m137587

500

ST303

149

m137361

149

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross-tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		☐ OTHER : _____							

Qty -213	Qty -214	Qty -215	Qty -216	Qty -311	Qty -312	Part Number	Description
X						D350-591-213	Heli-Access-Step™, Short Step – High Skid, LH
	X					D350-591-214	Heli-Access-Step™, Short Step – High Skid, RH
		X				D350-591-215	Heli-Access-Step™, Short Step – Low Skid, LH
			X			D350-591-216	Heli-Access-Step™, Short Step – Low Skid, RH
				X		D350-591-311	Heli-Access-Step™, Long Step – High Skid, LH
					X	D350-591-312	Heli-Access-Step™, Long Step – High Skid, RH
1						D3078-041	STEP ASSEMBLY (HIGH-SHORT, LH)
	1					D3078-042	STEP ASSEMBLY (HIGH-SHORT, RH)
		1				D3168-041	STEP ASSEMBLY (LOW-SHORT, LH)
			1			D3168-042	STEP ASSEMBLY (LOW-SHORT, RH)
				1		D3272-041	STEP ASSEMBLY (HIGH-LONG, LH)
					1	D3272-042	STEP ASSEMBLY (HIGH-LONG, RH)
2	2	2	2	4	4	D2230-3	MOUNTING LUG
2	2	2	2	2	2	D2618	BUSHING
4	4	4	4			D2732-030	CUSHION
				2	2	D2856-400-720	ABRASION STRIP
2	2	2	2	2	2	D3235-1	MOUNTING LUG
				1	1	D3278-041	SUPPORT ASSEMBLY
2	2	2	2	2	2	AN3-35A	BOLT
				8	8	AN4-13A	BOLT
4	4	4	4			AN4-15A	BOLT
2	2	2	2	2	2	AN5-36A	BOLT
4	4	4	4	4	4	NAS1149D0363J	WASHER (AN960JD10)
12	12	12	12	16	16	NAS1149D0463J	WASHER (AN960JD416)
4	4	4	4	4	4	NAS1149D0563J	WASHER (AN960JD516)
2	2	2	2	2	2	MS21042L3	NUT
6	6	6	6	8	8	MS21042L4	NUT
2	2	2	2	2	2	MS21042L5	NUT
				1	1	*DSI 9410-011	STEP MODIFICATION KIT

*DSI 9410-011 Step Modification Kits are provided with all D350-591-311 and D350-591-312 Steps. This kit is provided as an option for the installer and is therefore **NOT REQUIRED** to complete the installation of the D350-591-311 or D350-591-312 Steps. Refer to Figure 15 for installation of the DSI 9410-011 Kit.

Work Order ID 161828

Tuesday, May 23, 2017 10:56:08 AM

161828

Page 1

Item ID:	D350-591-214	Accept	*N900040100*	Setup	Start	*NS1*
Revision ID:				Stop		*NS2*
Item Name:	Heli-Access-Step™ RH - High Gear, Short Step, Aerazur Float Compatible					
Start Date:	6/26/2017	Start Qty:	4.00	Cust Item ID:		
Required Date:	7/7/2017	Req'd Qty:	4.00	Customer:		
Reference:						
Approvals:	Process Plan:	Date:	MAY 23 2017	Tooling:	Date:	
	QC:	Date:		SPC (Y/N):	Date:	
					Run	Start
						NR1
					Stop	*NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
IIN-D350-591	H								
100	Document Control	0.00							
100	DOCUMENT CONTROL								
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile and type labels as per PPP D350-591-214 CHG005								
270	Pick Kit	0.00							
270									
Packaging	Memo	0.04							
Packaging									
280	QC4- 100% Inspect kits for completeness	0.00							
280									
QC	Memo	0.12							
Quality Control									

DAS
39
9-89

4 JUN 14 2017



Transport Canada Transports Canada

Department of Transport

Supplemental Type Certificate

This approval is issued to:

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, Ontario
Canada K6A 1K7

Number: SH92-6

Issue No.: 11

Approval Date: February 06, 1992

Issue Date: February 11, 2009

Responsible Office:

Ontario

Aircraft/Engine Type or Model:

EUROCOPTER FRANCE AS 350 BA, B, B1, B2, B3, D, D1,
AS 355 E, F, F1, F2, N, NP

Canadian Type Certificate or Equivalent:

H-83
H-87

Description of Type Design Change:

Heli-Access-Step Installation

**Installation/Operating Data,
Required Equipment and Limitations:**


Heli-Access-Steps to be manufactured in accordance with Dart Aerospace Ltd. Master Document List MDL-D350-591 Rev. A, dated January 23, 2009, or later Transport Canada approved revision.

Heli-Access-Steps to be installed in accordance with Dart Aerospace Ltd. Installation Instructions D350-591 Rev. G, dated October 6, 2008, or later Transport Canada approved revision.

Heli-Access-Steps to be maintained in accordance with Dart Aerospace Ltd. Instructions for Continued Airworthiness ICA-D350-591 Rev. 2, dated October 6, 2008, or later Transport Canada accepted revision.

-- End --

Conditions: This approval is only applicable to the type/model of aeronautical product specified therein. Prior to incorporating this modification, the installer shall establish that the interrelationship between this change and any other modification(s) incorporated **will not** adversely affect the airworthiness of the modified product.




Marco Mariotti
For Minister of Transport

Canada